





The original premium grade transit flooring. Trusted by vehicle manufacturers, transit authorities, and rebuilders in hundreds of thousands of vehicles for over 75 years. TransitFlor PGF's combination of quality, durability and US manufacturing are a true one-of-a-kind in the transit flooring industry. Over the course of time we've been able to build long term relationships with transit industry leaders worldwide who trust us as their supplier of choice when it comes to their transit flooring needs.



TransitFlor rubber flooring, stair treads, and entrance plates have documented long life aesthetics and cost savings in all major transit applications for over 75 years. From school, metro and touring buses, to high-speed rail, luxury liners, and recreational vehicles, our products have been field tested to ensure they outlast the competition. When you need a flooring solution to provide the best passenger experience, withstand the rigors of time, save money, and remain beautiful for the life of your vehicle, TransitFlor is your choice. All of our products are 100% made in the USA.



TransitFlor LGF expands on the durability, comfort, and safety of our TransitFlor PGF line while achieving a weight reduction of over 40%. Until now the only products available to the transit industry in this weight class were vinyl (plastic). Unfortunately, vinyl products typically have a thin laminated wear surface, are harsh to walk on, difficult to clean, and have poor sound absorption properties. TransitFlor LGF has a 100% top-to-bottom wear surface for unmatched durability and product lifespan. Passengers will appreciate the underfoot comfort and reduced road/engine noise only rubber can provide.





TransitFlor Textured features a modified walking surface designed to improve initial overall coefficient of friction without the use of difficult to clean additives. It is the ideal solution for geographic locations that experience heavy amounts of rain or snowfall requiring an extra degree of underfoot safety. TransitFlor Textured will not shrink over time (like competing products) and is formulated with the same proprietary heavy-duty rubber compound thoroughly field tested in transit vehicles since 1931.

Advantages of specifying Transit Flor rubber flooring for your vehicles

Industry leading durability

Superior endurance and resilience compared to vinyl

Unmatched dimensional stability

Will not expand and contract with heat & cold like vinyl

Superior passenger underfoot comfort More comfortable to walk and stand on than vinyl which is much harder underfoot

Reduces engine and road noise

Enjoy a quieter ride as rubber has much greater sound insulating properties than vinyl

Easy to clean

Saves money and time, requiring no special tools or cleaners

100% American made

Produced under strict regulations to protect our environment

Eco-friendly

Made with renewable and sustainable ingredients including natural rubber from trees and abundant minerals from the earth

Non-toxic

Competing floorcoverings made of vinyl often contain toxic additives and bi-products that can pose significant health risks. PVC in vinyl flooring is a high pollutant, containing heavy metals, halogens, carcinogenic organochlorides, and harmful plasticizers (phthalates); rubber is non-toxic and far more environmentally friendly

Flame retardant

Exceeds the minimum flame spread standards for school and heavy transit. In the event of a fire TransitFlor is low smoke emitting and presents significantly lower levels of noxious fumes compared to vinyl

15-Year Warranty

Industry-leading performance guarantee

Thoroughly field tested in transit vehicle applications since 1931



RIB FLOORING

TransitFlor's top-to-bottom wear surface is ideal for heavy traffic transit vehicle applications. Its long-lasting properties will help protect your investment throughout the years. Ideal for high-traffic aisles and entrance areas.

Double-groove design

Maximum dimension: 48" (1219mm) wide

Thickness: 0.187" (4.8mm) TransitFlor PGF 0.140" (3.6mm) TransitFlor LGF

Colors: See chart




Made of the same homogenous rubber as the ribbed design, our seat area flooring withstands scuffs and grinding while remaining extremely easy to clean.

Smooth Surface

Maximum dimension: 48" wide (1219mm)

Thickness: 0.125" (3.2mm) TransitFlor PGF 0.085" (2.2mm) TransitFlor LGF

Colors: See chart



ENTRANCE PLATES

For added passenger safety, our entrance plates are made of a slip-resistant rubber compound. High contrast 3" yellow or white bands are used for the entrance plate's leading edge, offering better visibility and ADA compliance.

Diagonal design

Maximum dimension: 55" (1397mm) deep x 62.5" (1664mm) wide

Thickness: 0.3125" (8mm) - tapering to 0.187" (4.8mm) at standee area

Backing: .24 gauge 6" stainless steel under nose and marker

Colors: See chart

Nose: 3" (76mm) yellow or white


Marker strip: 2" (51mm) yellow or white

Available with abrasive leading edge

Any size custom or precut entrance plates are available for all major transit OEMs

We have the largest selection of entrance tread plate molds in the industry.





STEP TREADS

Maximum dimensions: 36" (914mm) deep x 65" (1651mm) wide


Thickness: 0.187" (4.8.mm) or 0.3125" (8mm)

Backing: .22 gauge galvanized steel or .24 gauge stainless steel

Colors: See chart

Nosing: 1.5" (38mm) or 3" (76mm) yellow or white

Available with abrasive leading edge



*Treads up to 15" can have a 1" or 1.25" lip

APEX STEP TREADS

Large, cone-shaped nub design provides for extra foot traction and easy cleaning. A .22 gauge galvanized steel backing ensures longer tread life. Meets ADA guidelines for color contrast and slip resistance.

Maximum dimensions: 29" (737mm) deep x 38" (965mm) wide 18" (457mm) deep x 52" (1321mm) wide

Thickness: 0.3125" (8mm)

Backing: .22 gauge galvanized steel


Colors: See chart


Nosing: 1.75" (44mm) yellow or white




TALON™ TREADS

Step tread with an abrasive strip insert for safer passenger boarding. Talon Treads are channeled for water drainage and easier cleaning.







A SPECIFICATIONS GUIDE AND INFORMATION ON OUR INDUSTRY-LEADING WARRANTY IS AVAILABLE AT TRANSITFLOR.COM

CONTACT US Whether you have large or small transit buses, trains or vans that require the safest, most durable flooring, look no further than TransitFlor.

Transit Flor colors







TransitFlor 1833 East Market Street P.O. Box 9240 Akron, OH 44305-0240

(800) 321-2340 info@transitflor.com transitflor.com